ELSEVIER

Chemistry and Physics of Lipids
90 (1997) 153

CPL
CHEMISTRY AND PHYSICS OF LIPIDS

Author index

Volume 90 (1997)

Ariga, T. **90**, 1

Berdel, W.E. **90**, 143
Bergmann, J. **90**, 143
Biltonen, R.L. **90**, 87
Bornscheuer, U. **90**, 117
Bouchu, M.-N. **90**, 63
Boullanger, P. **90**, 63
Brachwitz, H. **90**, 143
Burack, W.R. **90**, 87

Calderón, R.O. **90**, 1
Checchetti, A. **90**, 109
Chidichimo, G. **90**, 109
Clary, L. **90**, 75
Coulet, P.R. **90**, 63

Dibble, A.R.G. **90**, 87
Dobner, B. **90**, 25
Duportail, G. **90**, 75

Epand, R.M. **90**, 45

Golemme, A. **90**, 109
Grasso, D. **90**, 109

Hayashi, H. **90**, 97
Heiser, U.F. **90**, 25
Hof, M. **90**, 11
Hutterer, R. **90**, 11

Imbardelli, D. **90**, 109

Kato, S. **90**, 31
Krämer, K. **90**, 11
Kubo, T. **90**, 31

Langen, P. **90**, 143
La Rosa, C. **90**, 109
Leblhuber, F. **90**, 135

Maggio, B. **90**, 1
Marron-Brignone, L. **90**, 63
Morelis, R.M. **90**, 63
Muramatsu, T. **90**, 97

Negelmann, L. **90**, 117
Nicoletta, F.P. **90**, 109

Ogihara, N. **90**, 97
Ohhori, T. **90**, 97

Pfeuffer, R. **90**, 135
Pisch, S. **90**, 117

Ravily, V. **90**, 75
Riederer, P. **90**, 135

Sancho-Camborieux, M.-R. **90**, 63
Santaella, C. **90**, 75
Sayer, B.G. **90**, 45
Schmid, R.D. **90**, 117
Schneider, F.W. **90**, 11
Spiteller, G. **90**, 135
Stark, R.E. **90**, 45
Stolte, M. **90**, 135

Thomas, Y. **90**, 143

Vierling, P. **90**, 75
Vieth, M. **90**, 135

Weisser, M. **90**, 135
Westerman, P.W. **90**, 109
Wolf, R. **90**, 25
Wollny, T. **90**, 143

Yamanaka, T. **90**, 97
Yu, R.K. **90**, 1

Zehavi, U. **90**, 55
Zhou, Z. **90**, 45

0009-3084/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved.
PII S0009-3084(97)00096-0

ELSEVIER

Chemistry and Physics of Lipids
90 (1997) 155–157

CPL
CHEMISTRY AND PHYSICS OF LIPIDS

Subject index

Volume 90 (1997)

Aging; Plasmalogens; Human brain; Plasmalogenepoxides; Free aldehydes; α-hydroxyaldehydes **90**, 135

Antiproliferative activity; Phospholipids; Nucleoside-phospholipid conjugates **90**, 143

Bipolar compounds; Dianion alkylation; Phosphocholines **90**, 25

Bulk water; High-resolution MAS ^{1}H NMR; Spherical glass ampoule; Interlamellar water; PC liposome; ^{1}H spin-lattice relaxation; Lipid hydration **90**, 45

Caged glycosphingolipids; Caged sphingolipids; Caged *lyso*-glycosphingolipids; Caged *lyso*-sphingolipids; Second messenger; Cellular modulator **90**, 55

Caged *lyso*-glycosphingolipids; Caged glycosphingolipids; Caged sphingolipids; Caged *lyso*-sphingolipids; Second messenger; Cellular modulator **90**, 55

Caged *lyso*-sphingolipids; Caged glycosphingolipids; Caged sphingolipids; Caged *lyso*-glycosphingolipids; Second messenger; Cellular modulator **90**, 55

Caged sphingolipids; Caged glycosphingolipids; Caged *lyso*-glycosphingolipids; Caged *lyso*-sphingolipids; Second messenger; Cellular modulator **90**, 55

Cellular modulator; Caged glycosphingolipids; Caged sphingolipids; Caged *lyso*-glycosphingolipids; Caged *lyso*-sphingolipids; Second messenger **90**, 55

Dianion alkylation; Bipolar compounds; Phosphocholines **90**, 25

Differential scanning calorimetry (DSC); Pretransition; Lipid bilayers; Lysolecithin; Phosphatidylcholine; Scanning dilatometry (SD) **90**, 109

Differential scanning calorimetry; Unusual phospholipids; Hydroxy fatty acids; Langmuir film **90**, 117

1,2-Dimyristoyl-*sn*-glycero-3-phosphatidylcholine (DMPC); Tetracaine; Fluorescence quenching; Resonance energy transfer **90**, 11

DPPC; Pretransition; Freeze fracture electron microscopy; Ripple structure **90**, 31

Fluidity; Fluorinated phospholipid; Membrane; Liposome; Mobility; Fluorescence anisotropy **90**, 75

Fluorescence anisotropy; Fluorinated phospholipid; Membrane; Liposome; Fluidity; Mobility **90**, 75

Fluorescence quenching; Tetracaine; Resonance energy transfer; 1,2-Dimyristoyl-*sn*-glycero-3-phosphatidylcholine (DMPC) **90**, 11

Fluorinated phospholipid; Membrane; Liposome; Fluidity; Mobility; Fluorescence anisotropy **90**, 75

Foam film; Lysophosphatidylcholine; Lysophosphatidylethanolamine; Surface tension; Foam stability; Thin liquid film **90**, 97

Foam stability; Lysophosphatidylcholine; Lysophosphatidylethanolamine; Surface tension; Foam film; Thin liquid film **90**, 97

Free aldehydes; Plasmalogens; Human brain; Plasmalogenepoxides; α-hydroxyaldehydes; Aging **90**, 135

Freeze fracture electron microscopy; DPPC; Pretransition; Ripple structure **90**, 31

Ganglioside GD3; Ganglioside lactones; Ganglioside lactone–phospholipid interactions; Monolayers **90**, 1

Ganglioside lactone–phospholipid interactions; Ganglioside GD3; Ganglioside lactones; Monolayers **90**, 1

Ganglioside lactones; Ganglioside GD3; Ganglioside lactone–phospholipid interactions; Monolayers **90**, 1

0009-3084/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved.
PII S0009-3084(97)00097-2

Glucosylglyceride; Synthesis; Neoglycolipid; Monolayers **90**, 63

High-resolution MAS ^{1}H NMR; Spherical glass ampoule; Bulk water; Interlamellar water; PC liposome; ^{1}H spin-lattice relaxation; Lipid hydration **90**, 45

^{1}H spin-lattice relaxation; High-resolution MAS ^{1}H NMR; Spherical glass ampoule; Bulk water; Interlamellar water; PC liposome; Lipid hydration **90**, 45

Human brain; Plasmalogens; Plasmalogenepoxides; Free aldehydes; α-hydroxyaldehydes; Aging **90**, 135

α-hydroxyaldehydes; Plasmalogens; Human brain; Plasmalogenepoxides; Free aldehydes; Aging **90**, 135

Hydroxy fatty acids; Unusual phospholipids; Langmuir film; Differential scanning calorimetry **90**, 117

Interlamellar water; High-resolution MAS ^{1}H NMR; Spherical glass ampoule; Bulk water; PC liposome; ^{1}H spin-lattice relaxation; Lipid hydration **90**, 45

Langmuir film; Unusual phospholipids; Hydroxy fatty acids; Differential scanning calorimetry **90**, 117

Lipid bilayers; Pretransition; Lysolecithin; Phosphatidylcholine; Differential scanning calorimetry (DSC); Scanning dilatometry (SD) **90**, 109

Lipid hydration; High-resolution MAS ^{1}H NMR; Spherical glass ampoule; Bulk water; Interlamellar water; PC liposome; ^{1}H spin-lattice relaxation **90**, 45

Liposome; Fluorinated phospholipid; Membrane; Fluidity; Mobility; Fluorescence anisotropy **90**, 75

Lysolecithin; Pretransition; Lipid bilayers; Phosphatidylcholine; Differential scanning calorimetry (DSC); Scanning dilatometry (SD) **90**, 109

Lysophosphatidylcholine; Lysophosphatidylethanolamine; Surface tension; Foam stability; Foam film; Thin liquid film **90**, 97

Lysophosphatidylethanolamine; Lysophosphatidylcholine; Surface tension; Foam stability; Foam film; Thin liquid film **90**, 97

Membrane; Fluorinated phospholipid; Liposome; Fluidity; Mobility; Fluorescence anisotropy **90**, 75

Membrane structure; Phase separation; Vesicle morphology; Phospholipase A_2 **90**, 87

Mobility; Fluorinated phospholipid; Membrane; Liposome; Fluidity; Fluorescence anisotropy **90**, 75

Monolayers; Ganglioside GD3; Ganglioside lactones; Ganglioside lactone–phospholipid interactions **90**, 1

Monolayers; Synthesis; Neoglycolipid; Glucosylglyceride **90**, 63

Neoglycolipid; Synthesis; Glucosylglyceride; Monolayers **90**, 63

Nucleoside-phospholipid conjugates; Phospholipids; Antiproliferative activity **90**, 143

PC liposome; High-resolution MAS ^{1}H NMR; Spherical glass ampoule; Bulk water; Interlamellar water; ^{1}H spin-lattice relaxation; Lipid hydration **90**, 45

Phase separation; Vesicle morphology; Phospholipase A_2; Membrane structure **90**, 87

Phosphatidylcholine; Pretransition; Lipid bilayers; Lysolecithin; Differential scanning calorimetry (DSC); Scanning dilatometry (SD) **90**, 109

Phosphocholines; Bipolar compounds; Dianion alkylation **90**, 25

Phospholipase A_2; Phase separation; Vesicle morphology; Membrane structure **90**, 87

Phospholipids; Nucleoside-phospholipid conjugates; Antiproliferative activity **90**, 143

Plasmalogenepoxides; Plasmalogens; Human brain; Free aldehydes; α-hydroxyaldehydes; Aging **90**, 135

Plasmalogens; Human brain; Plasmalogenepoxides; Free aldehydes; α-hydroxyaldehydes; Aging **90**, 135

Pretransition; DPPC; Freeze fracture electron microscopy; Ripple structure **90**, 31

Pretransition; Lipid bilayers; Lysolecithin; Phosphatidylcholine; Differential scanning calorimetry (DSC); Scanning dilatometry (SD) **90**, 109

Resonance energy transfer; Tetracaine; Fluorescence quenching; 1,2 - Dimyristoyl - *sn* - glycero - 3 - phosphatidylcholine (DMPC) **90**, 11

Ripple structure; DPPC; Pretransition; Freeze fracture electron microscopy **90**, 31

Scanning dilatometry (SD); Pretransition; Lipid bilayers; Lysolecithin; Phosphatidylcholine; Differential scanning calorimetry (DSC) **90**, 109

Second messenger; Caged glycosphingolipids; Caged sphingolipids; Caged *lyso*-glycosphingolipids; Caged *lyso*-sphingolipids; Cellular modulator **90**, 55

Spherical glass ampoule; High-resolution MAS ^{1}H NMR; Bulk water; Interlamellar water; PC liposome; ^{1}H spin-lattice relaxation; Lipid hydration **90**, 45

Surface tension; Lysophosphatidylcholine; Lysophosphatidylethanolamine; Foam stability; Foam film; Thin liquid film **90**, 97

Synthesis; Neoglycolipid; Glucosylglyceride; Monolayers **90**, 63

Tetracaine; Fluorescence quenching; Resonance energy transfer; 1,2 - Dimyristoyl - *sn* - glycero - 3 - phosphatidylcholine (DMPC) **90**, 11

Thin liquid film; Lysophosphatidylcholine; Lysophosphatidylethanolamine; Surface tension; Foam stability; Foam film **90**, 97

Unusual phospholipids; Hydroxy fatty acids; Langmuir film; Differential scanning calorimetry **90**, 117

Vesicle morphology; Phase separation; Phospholipase A_2; Membrane structure **90**, 87